

## Drafts in the editorial process as at 5 June 2018

### Protocols currently going through the editorial process

1. Chinese herbal medicines for treating gestational diabetes mellitus (Chi Chiu Wang)
2. Combined spinal-epidural versus epidural anaesthesia for caesarean section (Erika Ota)
3. Drugs for epidural anaesthesia for caesarean section (Erika Ota)
4. Fetal scalp stimulation for assessing fetal wellbeing during labour (Deirdre Murphy)
5. Interventions for preventing hypothermia during caesarean delivery under regional anaesthesia (James Griffiths)
6. Maternal antenatal methylxanthine (including caffeine) treatment for improving newborn outcomes in preterm infants (Charles Roehr)
7. Mechanical and surgical interventions for treating primary postpartum haemorrhage (Julius Wandabwa)
8. Physiological track and trigger/early warning systems for use in maternity care (Valerie Smith)
9. Rectal analgesia for pain from perineal trauma following childbirth (Donna Hartz)
10. Regimens of vitamin D supplementation for women during pregnancy (Cristina Palacios)
11. Strategies for optimising antenatal corticosteroid administration for women with anticipated preterm birth (Justus Hofmeyr)
12. Techniques of cervical cerclage for preventing preterm labour (Vincenzo Berghella)
13. Uterotonic agents for preventing haemorrhage at caesarean section (Deirdre Murphy)
14. Vaginal swabbing versus no vaginal swabbing postoperatively for preventing maternal infection following caesarean section (Julie Brown)

### New Full Reviews currently going through the editorial process

1. Acute tocolysis for uterine tachysystole or suspected fetal distress (Sebastian Leathersich)
2. Care prior to and during subsequent pregnancies following stillbirth for improving outcomes (Aleena Wojcieszek)
3. Combined spinal-epidural versus spinal anaesthesia for caesarean section (Scott Simmons)

4. Complementary and alternative therapies for post-caesarean pain (Sandra Zimpel)
5. Diagnostic accuracy of biochemical tests of placental function versus ultrasound assessment of fetal size for stillbirth and small-for-gestational-age infants (Alexander Heazell)
6. Discontinuation of intravenous oxytocin in the active phase of induced labour (Sidsel Boie)
7. Fetal biometry for guiding the medical management of women with gestational diabetes mellitus for improving maternal and perinatal health (Ujvala Rao)
8. Group B Streptococcus immunisation during pregnancy for improving outcomes (Michihata N, Yamamoto-Hanada K, Mukaigawara M, Miyairi I, Mori R)
9. Guided imagery for treating hypertension in pregnancy (Rintaro Mori)
10. Interventions during pregnancy to prevent spontaneous preterm birth: an overview of Cochrane systematic reviews (Nancy Medley)
11. Interventions for supporting the initiation and continuation of breastfeeding among women who are overweight or obese (Hora Soltani)
12. Metformin for women who are overweight or obese during pregnancy for improving maternal and infant outcomes (Jodie Dodd)
13. Methods for blood loss estimation after vaginal birth (Virginia Diaz)
14. Oral galactagogues for increasing breast-milk production in mothers of non-hospitalised term infants (Siew Cheng Foong)
15. Perineal dilators for facilitating the second stage of labour (Justus Hofmeyr)
16. Treatments for women with gestational diabetes mellitus: an overview of Cochrane systematic reviews (Julie Brown)

### **Updated Reviews currently going through the editorial process**

1. Active versus expectant management for women in the third stage of labour (Begley CM, Gyte GML, Devane D, McGuire W, Weeks A, Biesty LM)
2. Acupuncture for induction of labour (Caroline Smith)
3. Alternative magnesium sulphate regimens for women with pre-eclampsia and eclampsia (Lelia Duley)
4. Antihypertensive drug therapy for mild to moderate hypertension during pregnancy (Edgardo Abalos)
5. Antiplatelet agents for preventing pre-eclampsia and its complications (Lelia Duley)
6. Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems (Justus Hofmeyr)
7. Cervical assessment by ultrasound for preventing preterm delivery (Vincenzo Berghella)
8. Corticosteroids for preventing neonatal respiratory morbidity after elective caesarean section at term (Alexandros Sotiriadis)
9. Effect of partograph use on outcomes for women in spontaneous labour at term (Tina Lavender)
10. Fetal fibronectin testing for reducing the risk of preterm birth (Vincenzo Berghella)
11. Interventionist versus expectant care for severe pre-eclampsia between 24 and 34 weeks' gestation (David Churchill)

[pregnancy.cochrane.org](http://pregnancy.cochrane.org)

Trusted evidence. Informed decisions. **Better health.**

12. Interventions for preventing nausea and vomiting in women undergoing regional anaesthesia for caesarean section (James Griffiths)
13. Intramuscular versus intravenous prophylactic oxytocin for the third stage of labour (Olufemi Oladapo)
14. Mechanical dilatation of the cervix at non-labour caesarean section for reducing postoperative morbidity (Tippawan Liabsuetrakul)
15. Medical treatment for early fetal death (less than 24 weeks) (James Neilson)
16. Parenteral opioids for maternal pain management in labour (Lesley Smith)
17. Progestogen for preventing miscarriage in women with recurrent miscarriage of unclear etiology (David Haas)
18. Progestogen for treating threatened miscarriage (Hayfaa Wahabi)
19. Prophylactic use of ergot alkaloids in the third stage of labour (Tippawan Liabsuetrakul)
20. Skin preparation for preventing infection following caesarean section (Erika Ota)
21. Support during pregnancy for women at increased risk of low birthweight babies (Christine East)
22. Transplacental versus direct fetal corticosteroid treatment for accelerating fetal lung maturation where there is a risk of preterm birth (Debby Utama)
23. Vaginal preparation with antiseptic solution before cesarean section for preventing postoperative infections (David Haas)